

DERMATOLOGY

In complex therapy of *psoriasis*, use **the systemic therapy of the pulsation and intensive combined course** of immunomodulation, reparation, hepato-, cardiovascular protection and adaptation with ERBISOL[®] and ERBISOL[®] Extra medications.

The 1st pulsation course of therapy for 30 days
50 ampoules of 2 ml ERBISOL[®]

Days	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Time																														
6 ⁰⁰ - 9 ⁰⁰				e	e	e	e	e			e	e	e	e	e			e	e	e	e	e			e	e	e	e	e	
21 ⁰⁰ - 24 ⁰⁰	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e
	↑3 days↓			↑5 days↓					↑2days↓			↑5 days↓					↑2days↓			↑5 days↓					↑1↓					

Specific therapeutic ointments and creams are recommended for local application from the 11th day within 10-20 days.

The 2nd course should be appointed 2 months after the end of the 1st course of therapy or at relapse.

The 2nd intensive course of therapy for 21 days
30 ampoules of ERBISOL[®] + 40 ampoules of ERBISOL[®] Extra
it is advisable to begin 2 days before the new moon

Days	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21		
Time																							
6 ⁰⁰ - 9 ⁰⁰		2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+		
21 ⁰⁰ - 24 ⁰⁰	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e		
	↑1↓		19 days																			↑1↓	

Medications should preferably be injected on an empty stomach 1-2 hrs before or 2-3 hrs after meals. Tea, juices, water, etc. can be consumed at any time.

Note:

e - 1 (one) ampoule per 2 ml of ERBISOL[®] intramuscularly;

+ - 1 (one) ampoule per 2 ml of ERBISOL[®] Extra intramuscularly.